

## TEAM DANMARKS HØJDERUM

### Litteratur

Chapman RF, Karlsen T, Resaland GK, Ge RL, Harber MP, Witkowski S, Stray-Gundersen J, Levine BD.

Defining the "dose" of altitude training: how high to live for optimal sea level performance enhancement.

J Appl Physiol (1985). 2014 Mar 15;116(6):595-603. doi: 10.1152/jappphysiol.00634.2013. Epub 2013 Oct 24.

Clark SA, Bourdon PC, Schmidt W, Singh B, Cable G, Onus KJ, Woolford SM, Stanef T, Gore CJ, Aughey RJ.

The effect of acute simulated moderate altitude on power, performance and pacing strategies in well-trained cyclists.

Eur J Appl Physiol. 2007 Dec;102(1):45-55. doi: 10.1007/s00421-007-0554-0. Epub 2007 Sep 20.

Cubel C, Klaris MB, Larsen JV, Faiss R, Nybo L, Lundby C.

Haematological adaptations to high-altitude and heat acclimation training in elite male cyclists.

Exp Physiol. 2026 Mar;111(3):820-833. doi: 10.1113/EP092968. Epub 2025 Sep 10.

Cubel C, Fischer M, Stampe D, Klaris MB, Bruun TR, Lundby C, Nordsborg NB, Nybo L.

Time-course for onset and decay of physiological adaptations in endurance trained athletes undertaking prolonged heat acclimation training.

Temperature (Austin). 2024 Aug 1;11(4):350-362. doi: 10.1080/23328940.2024.2383505. eCollection 2024.

Faiss R, Raberin A, Brocherie F, Millet GP.

Repeated-sprint training in hypoxia: A review with 10 years of perspective.

J Sports Sci. 2025 Oct;43(19):2164-2178. doi: 10.1080/02640414.2024.2416821. Epub 2024 Oct 24

Garvican-Lewis LA, Sharpe K, Gore CJ.

Time for a new metric for hypoxic dose?

J Appl Physiol (1985). 2016 Jul 1;121(1):352-5. doi: 10.1152/jappphysiol.00579.2015. Epub 2016 Feb 25.

Gatterer H, Roche J, Turner R, Vinetti G, Roveri G, Schlittler M, Kob M, Walzl A, Dal Cappello T, Debevec T, Siebenmann C.

Changes in body mass, appetite-related hormones, and appetite sensation in women during 4 days of hypobaric hypoxic exposure equivalent to 3,500-m altitude.

J Appl Physiol 2023 Jan 1;134(1):133-141. doi: 10.1152/jappphysiol.00369.2022. Epub 2022 Dec 8.

Ge RL, Witkowski S, Zhang Y, Alfrey C, Sivieri M, Karlsen T, Resaland GK, Harber M, Stray-Gundersen J, Levine BD.

Determinants of erythropoietin release in response to short-term hypobaric hypoxia.

J Appl Physiol (1985). 2002 Jun;92(6):2361-7. doi: 10.1152/jappphysiol.00684.2001.

Matu J, Gonzalez JT, Ispoglou T, Duckworth L, Deighton K.

The effects of hypoxia on hunger perceptions, appetite-related hormone concentrations and energy intake: A systematic review and meta-analysis.

Appetite. 2018 Jun 1;125:98-108. doi: 10.1016/j.appet.2018.01.015. Epub 2018 Jan 31

Peltonen JE, Leppävuori A, Lehtonen E, Mikkonen RS, Kettunen O, Nummela A, Ohtonen O, Gagnon DD, Wehrin JP, Wilber RL, Linnamo V.

Combined intermittent hypoxic exposure at rest and continuous hypoxic training can maintain elevated hemoglobin mass after a hypoxic camp.

J Appl Physiol (1985). 2024 Aug 1;137(2):409-420. doi: 10.1152/jappphysiol.00017.2024. Epub 2024 Jul 4.

Rønnestad BR, Odden I, Urianstad T, Hansen J, Mølmen KS, Cardinale DA.

Heat Suit Training Preserves the Increased Hemoglobin Mass after Altitude Camp in Elite Cyclists.

Med Sci Sports Exerc. 2025 Jan 1;57(1):81-87. doi: 10.1249/MSS.0000000000003542. Epub 2024 Aug 20

Schuler B, Thomsen JJ, Gassmann M, Lundby C.

Timing the arrival at 2340 m altitude for aerobic performance.

Scand J Med Sci Sports. 2007 Oct;17(5):588-94. doi: 10.1111/j.1600-0838.2006.00611.x. Epub 2007 Feb 19.

Siebenmann C, Cathomen A, Hug M, Keiser S, Lundby AK, Hilty MP, Goetze JP, Rasmussen P, Lundby C.

Hemoglobin mass and intravascular volume kinetics during and after exposure to 3,454-m altitude.

J Appl Physiol (1985). 2015 Nov 15;119(10):1194-201. doi: 10.1152/jappphysiol.01121.2014. Epub 2015 Mar 6.

Townsend NE, Gore CJ, Hahn AG, Aughey RJ, Clark SA, Kinsman TA, McKenna MJ, Hawley JA, Chow CM.

Hypoxic ventilatory response is correlated with increased submaximal exercise ventilation after live high, train low.

Eur J Appl Physiol. 2005 May;94(1-2):207-15. doi: 10.1007/s00421-004-1252-9. Epub 2004 Dec 18.

Townsend NE, Gore CJ, Ebert TR, Martin DT, Hahn AG, Chow CM.

Ventilatory acclimatisation is beneficial for high-intensity exercise at altitude in elite cyclists.

Eur J Sport Sci. 2016 Nov;16(8):895-902. doi: 10.1080/17461391.2016.1139190. Epub 2016 Feb 19